
Advanced Unix System Administration

Lecture 8 February 22, 2007

Steven Luo <sluo+decal@OCF.Berkeley.EDU>

• The generic performance curve:



Resources available

- It's not worth optimizing one particular thing past the point when it's not the bottleneck anymore
- Hence your job is usually to identify the bottleneck, widen it, and repeat until satisfied with performance
- Performance tuning requires instrumentation, understanding, a bit of thought, and patience

- Hardware effects
 - Choosing the right hardware can have a profound impact on performance
 - Components have different effects on performance
- More/faster CPUs
 - Linear scaling up to the concurrency limit/CPU processing limit of the application
 - Helps the tail in the limit of very high load

- More memory
 - Can improve concurrency, extends the peak performance of the system by allowing more cache
 - Helps the tail in the limit of very high load
- Faster disks
 - Increases initial performance, overload performance by speeding up cache misses
- Faster network
 - Allows more connections, more data pushed

- Performance tuning is always ultimately a tradeoff
 - Increasing one setting (i.e. concurrent processes) may come at the detriment of other performance attributes
 - What's best depends heavily on the workload, the resources of your system, and the bottlenecks that the system is encountering

- The OSI model
 - Seven layers that conceptually separate the different functions of a network stack very cleanly
 - No practical modern network stacks actually implement the full separation model
- Physical layer (layer 1)
 - Specifies the actual communications hardware
 - Fiber, copper twisted pairs, wireless, SCSI . . .

- Data link layer (layer 2)
 - Specifies details of over-the-wire communication and error correction between physical hosts
 - We'll focus on Ethernet in this class
- Network layer (layer 3)
 - Routes traffic from Point A to Point B, possibly with QoS considerations
 - IP is the only important example nowadays

- Transport layer (layer 4)
 - Provides facilities for a link between hosts, such as flow control, error correction
 - TCP and UDP are the most important
- Session layer (layer 5)
 - Provides the link between hosts (connections, ports, state)
 - TCP performs the functions of the session layer; applications running on UDP must provide their own session facilities

- Presentation layer (layer 6)
 - Data representation for the application
 - Almost always performed by the application nowadays; protocols are usually considered part of layer 6
 - We'll cover some important examples
- Application layer (layer 7)
 - Provides a useful service to users
 - The application implementing a protocol is in layer 7