Advanced Unix System Administration

Lecture 9 October 13, 2008

Steven Luo <sluo+decal@OCF.Berkeley.EDU>

- Double-check your work!
- Logging/debug output
 - Most daemons and many other programs can be configured to spit out lots of info
 - See the documentation for your program/daemon
- Don't overlook the simple/obvious options before applying more complicated/advanced tools!

- Process instrumentation
 - Reading the source frequently isn't enough and that's assuming you have it
 - Even if you have it, source tells you what should be happening, not what is
 - Instrumentation tools can provide a valuable look into what a program is doing
 - Output is slightly difficult to interpret look for alternatives first!

- strace(1), truss(1), ktrace(1)
 - Provides a view of the syscalls used by a program
 - Can be run on new processes, follow their children, or be attached to an existing process
 - Output is valuable when process is doing I/O, sleeping, or otherwise talking to the kernel; of no use when purely userspace
 - Can filter out selected syscalls useful because output is very noisy

- Itrace(1)
 - Provides a view of the library functions used by a program; can also show syscalls
 - Very similar in use to strace
- gdb, other debuggers
 - Can provide a view of what's happening in the program itself
 - Certain modifications to program behavior also possible
 - Usually requires debugging symbols and code knowledge

- Isof(1), pfiles(1)
 - Shows you what files and file descriptors a process has open
 - Extremely useful in conjunction with strace

- System instrumentation
 - These tools give you an idea of what the system as a whole is doing
 - Useful when you suspect kernel-level or systemwide problems, or problems involving interactions between more than one process

- ps(1)
- top(1)
 - Gives a display of processes that can be sorted by resource usage, and summary of system resource status
- vmstat(1), free(1)
 - Shows amount of free memory
 - vmstat can show other system statistics

- iostat(1)
 - Shows per-device I/O statistics
- iotop(1)
 - per-process I/O statistics
 - Implementations differ in details
- sar(1), sadc(1)
 - sadc collects most of the possible kinds of system activity statistics
 - Can be displayed (sar) or logged somewhere

- netstat(1)
 - Shows the state of your system's network connections
 - Useful to find out who your system's talking to, finding hanging/excessive network connections, etc.
 - We'll talk plenty more about network debugging tools later

- DTrace and SystemTap
 - Provide "dynamic tracing" of the kernel's execution
 - Allow you to attach to certain points in the kernel's execution and obtain statistics and information about the execution
 - SystemTap less mature than DTrace, but more powerful (but less safe?)
 - Useful to identify what the kernel's busy doing
 - DTrace also can trace user-space programs